

What is your lab's name?

Trenchwood Institute

What is your name?

Wesley When

Where are you located?

2320 Newport Street  
San Mateo California

World  
Headquarters  
of  
Mishapology  
Projects  
Zoning  
Application  
Form  
B12020125-S8916




WHOMP regulations require that machinery, lab benches, and workstations within the facility be placed sufficiently far apart to maximize the chance of replication of future accidents.

We have scanned your facility and noticed certain special requirements. Four areas in the lab, marked with an "X" below, are already damaged and workstations may not be located there (although they may be adjacent). One area, marked with a black square, is directly underneath the ceiling fan and at least part of a workstation must be located there.

Indicate, on the floor plan below, the proposed placement of:

- Four stations of dimensions 1 × 1
- Three stations of dimensions 2 × 1
- Two stations of dimensions 3 × 1
- One station of dimensions 4 × 1



Stations may only be oriented horizontally or vertically. No stations may be adjacent to each other, even diagonally. The numbers to the right of rows and underneath the columns specify the maximum amount of floor space that may be used within the corresponding row or column.

# Redundant Extraneous Department of Task and Paperwork Enforcement Product Line Inspection Form F212015-S89119

Name of Organization (what your organization is called):

Trenchwood Institute

Name of Applicant (name of the person filling out this form):

Wesley When

Address of Organization (where we can send your organization mail):

2320 Newport Street

City and State (the city and state where your organization is located):

San Mateo California

The Redundant Extraneous Department of Task and Paperwork Enforcement (REDTaPE), as part of its required redundancy mandate, requires that each of the six product lines (the rows below) pass six separate safety and security inspections (numbered 1-6). Enter the numbers 1-6 in each of the cells of each row to indicate the sequence that each product line will undergo each inspection, such that each row contains six differently-numbered safety inspections, all of which differ from each other and are in the range 1-6.

During one shift (indicated by a column) each one of the six differently-numbered inspection machines (which are numbered from 1 to 6) can only inspect one single product line at a time. For maximum efficiency, each of the six differently numbered inspection machines must be operating during each shift. This means each column must contain only numbers from 1 to 6 and they all must be different, as the numbers represent the types of inspection machine as well as the corresponding safety and security inspection that machine does; for example, the machine numbered 3 does the security inspection numbered 3, and cannot be active in more than one location at each time -- so the numbers in each column must be all different.

Some sections of the schedule may already be filled in with numbers. Any number already filled in represents a machine with that number that must be assigned to that shift (column) at that specific time (row) and cannot be changed.

If there is an inequality symbol between shifts within a product line, or between adjacent machines operating at the same time, then the numbers for those inspection machines (which are the same as the safety and security inspection number) must be obeyed appropriately, with the inequality symbol obeying its standard mathematical definition as applied to positive integers (for

			<	<	
^				^	
		>		^	
^					^
	v	^	3	>	

more information, see REDTaPE pamphlet I142051816185209147-T85-I145172111292025-S251321512, "Interpreting the Inequality Symbol").

# ເລດຖືກ ຄອສຕ ຄຸມກຸດ

Name: Trenchwood Institute  
Contact: Wesley When  
Address: 2320 Newport Street  
City, State: San Mateo California




Patrol Application Form H11989

Thank you for considering the Laotian Coast Guard for your security needs! We have done a precursory analysis of your proposed new buildings and their security patrol requirements, which have been mapped below.

You will need to come up with a patrol plan for your building complex. Please draw in new patrol lines connecting these new buildings such that they obey the restrictions listed to the right.

- Each patrol line only goes east-west or north-south (not both), and is stopped at each end by a building (which it services).
- Each building's number indicates the exact number of patrol lines servicing that building (that would be the security patrol requirement), no more, no less.
- Patrol lines may never cross each other (we are worried about friendly fire).
- No pair of buildings may be serviced by more than two patrol lines servicing those two building directly (when we send more than two soldiers on the same mission, they start losing their self-esteem).
- From each building, it must be possible to reach any other building by a series of connected patrol lines and other buildings (in other words, everything is connected so that you are not vulnerable to a "divide-and-conquer" attack).



Lab Name: Trenchwood Institute

Contact: Wesley When

Address: 2320 Newport Street

City/State: San Mateo California

The Laundry, as part of [redacted] regulate, [redacted] rediscovery of [redacted] requires all [redacted] to submit [redacted] form so as to [redacted] [redacted]

You are required to fill out this form [redacted] a digit from 1-9 [redacted] cannot be repeated. Also, [redacted] "restrictions" [redacted] sum of the numbers [redacted]

only [redacted] test. Thank you.

			19	15		28	14	23			22	41	12
		8			19					23			
10	28				10					11			
24					10					12			
					10					11			
23				11			35						
				11			12						
10				13			12			16			4
				15			30			23			
	10					19					6		
					16					15			
		29	12	21				16					
							3						
	6				10					12			
	11				25					22			
35							14						
						32				22	14		
12			28						15				
			15						17				24
	3			7				11			15		
				9									
	35							14			10		
	3							9			13		
10						4			35				
6						17			20				



Department of the Treasury  
Internal Revenue Service

Authorized by the Bureau of Asynchronous Time Standardization,  
Handling, Infrastructure, and Taxation (B.A.T.S.H.I.T.)

Lab name(s) shown on return <i>Trenchwood Institute</i>	Chief Point of Contact <i>Wesley When</i>	Street Address <i>2320 Newport Street</i>	City and State <i>San Mateo California</i>
--	--	--	---

**Instructions**

**Part I**

Please read Instructions before filling out section.

Internal Revenue Service regulations require appropriate declaration of laboratory operational budgets. Fortunately, we here at B.A.T.S.H.I.T. are here to help you through by providing this simplified version of IRS Form KE14-K514-EZ. Simply enter the appropriate dollar amounts (in multiples of \$1000) in Part I so that each of the 36 cells are filled with either \$1000, \$2000, \$3000, \$4000, \$5000, or \$6000, and that each dollar amount appears exactly once in each row and column. Then follow the simple steps in Part II. We have pre-filled out the correct values at certain steps; if your calculated values match, then you have filled out the form correctly.

	(a) Budget	(b) Budget	(c) Budget	(d) Budget	(e) Budget	(f) Budget
<b>1 Expenses</b>	, 000	, 000	, 000	, 000	, 000	, 000
<b>2 Expenses</b>	, 000	, 000	, 000	, 000	, 000	, 000
<b>3 Expenses</b>	, 000	, 000	, 000	, 000	, 000	, 000
<b>4 Expenses</b>	, 000	, 000	, 000	, 000	, 000	, 000
<b>5 Expenses</b>	, 000	, 000	, 000	, 000	, 000	, 000
<b>6 Expenses</b>	, 000	, 000	, 000	, 000	, 000	, 000

**Part II Determining Necessary Checkpoints and Budget Limitations**

<b>7</b> Enter row 1, column (a) or row 1, column (b), whichever is larger	<b>7</b>		<b>26</b> Multiply row 24 by row 25 and enter the value here	<b>26</b>	6,000,000.
<b>8</b> Enter row 1, column (a) or row 1, column (b), whichever is smaller	<b>8</b>		<b>27</b> Enter row 4, column (a) or row 4, column (b), whichever is larger	<b>27</b>	
<b>9</b> Divide row 7 by row 8 and enter the value here	<b>9</b>	5.	<b>28</b> Enter row 4, column (a) or row 4, column (b), whichever is smaller	<b>28</b>	
<b>10</b> Enter the value from row 1, column (c)	<b>10</b>		<b>29</b> Subtract row 28 from row 27 and enter the value here	<b>29</b>	2,000.
<b>11</b> Enter the value from row 2, column (c)	<b>11</b>		<b>30</b> Enter the sum of row 5, column (e) and row 5, column (f)	<b>30</b>	
<b>12</b> Multiply row 10 by row 11 and enter the value here	<b>12</b>	12,000,000.	<b>31</b> Enter the value from row 4, column (f)	<b>31</b>	
<b>13</b> Enter the sum of row 1, column (d) and row 1, column (e)	<b>13</b>		<b>32</b> Add row 30 to row 31 and enter the value here	<b>32</b>	13,000.
<b>14</b> Enter the value from row 2, column (e)	<b>14</b>		<b>33</b> Enter the value from row 5, column (a)	<b>33</b>	
<b>15</b> Add row 13 to row 14 and enter the value here	<b>15</b>	13,000.	<b>34</b> Enter the value from row 6, column (a)	<b>34</b>	
<b>16</b> Enter the value from row 1, column (f)	<b>16</b>		<b>35</b> Add row 33 to row 34 and enter the value here	<b>35</b>	10,000.
<b>17</b> Enter the value from row 2, column (f)	<b>17</b>		<b>36</b> Enter the sum of row 5, column (b) and row 6, column (b)	<b>36</b>	
<b>18</b> Multiply row 16 by row 17 and enter the value here	<b>18</b>	10,000,000.	<b>37</b> Enter the value from row 6, column (c)	<b>37</b>	
<b>19</b> Enter the sum of row 2, column (a) and row 2, column (b)	<b>19</b>		<b>38</b> Add row 36 to row 37 and enter the value here	<b>38</b>	7,000.
<b>20</b> Enter the value from row 3, column (a)	<b>20</b>		<b>39</b> Enter the value from row 5, column (d)	<b>39</b>	
<b>21</b> Add row 19 to row 20 and enter the value here	<b>21</b>	9,000.	<b>40</b> Enter the value from row 6, column (d)	<b>40</b>	
<b>22</b> Enter the sum of row 3, col. (b), rows 3-5, col. (c), and rows 2-4, col. (d)	<b>22</b>		<b>41</b> Multiply row 39 by row 40 and enter the value here	<b>41</b>	20,000,000.
<b>23</b> Add row 22 to row 4, column (e) and enter the value here	<b>23</b>	25,000.	<b>42</b> Enter row 6, column (e) or row 6, column (f), whichever is larger	<b>42</b>	
<b>24</b> Enter the value from row 3, column (e)	<b>24</b>		<b>43</b> Enter row 6, column (e) or row 6, column (f), whichever is smaller	<b>43</b>	
<b>25</b> Enter the value from row 3, column (f)	<b>25</b>		<b>44</b> Divide row 42 by row 43 and enter the value here	<b>44</b>	5.

# X-COM

## Tachyonic and Neutrino Decontamination Proposal Form M9145-S235516518

As tachyonic and neutronic radiation are the only known forms of radiation to potentially exhibit faster-than-light (FTL) properties, X-Com regulations require all facilities processing industrial tachyons and/or neutrinos to perform temporal decontamination cycles according to a proposed schedule so as to decrease transmission of information to extra-terrestrial locations.

Temporal decontamination schedules must be carefully regulated as they can cause causality effects on both the week before and the week after a scheduled decontamination cycle. Because of the dangers of such causality issues, each quarterly schedule must be proposed at least four months in advance.

The calendar to the right shows the months of August 2012 to October 2012. Cleanly label some of the days in the calendar to indicate when the temporal decontamination cycles will be performed. The numbers indicate how many neighboring days (in any of the 8 adjacent directions) must have a decontamination cycle scheduled (Saturdays and Sundays are not considered adjacent—if there is a God out there, He works in mysterious ways). A day with a number cannot have a decontamination cycle.

<b>ORG.</b>	Trenchwood Institute
<b>NAME</b>	Wesley When
<b>ADDR.</b>	2320 Newport Street
<b>CITY&amp;St.</b>	San Mateo California

			1	2	3	4
			2		3	
5	6	7	8	9	10	11
0			3			
12	13	14	15	16	17	18
			3			0
19	20	21	22	23	24	25
	1	3		3	2	
26	27	28	29	30	31	1
				3		
2	3	4	5	6	7	8
	4		3	2		3
9	10	11	12	13	14	15
2			4	3	4	
16	17	18	19	20	21	22
23	24	25	26	27	28	29
0	1	3	4		5	
30	1	2	3	4	5	6
				3	3	
7	8	9	10	11	12	13
0	1	3		3		
14	15	16	17	18	19	20
			4		5	
21	22	23	24	25	26	27
			4			
28	29	30	31			
	2		3			

AUGUST  
SEPTEMBER  
OCTOBER







# Zoning Permit Application

## S129208518-L91411

Organization	Trenchwood Institute
Contact	Wesley When
Address	2320 Newport Street
City/State	San Mateo California

Facilities generating temporal-spatial flux must build a tachyonic radiation dissipation loop. Connect neighboring dots in the map below to describe the proposed path of your facility's dissipation loop.

However, preliminary research shows a tentative link between such radiation and movie spoilers (as well as fetal development defects). So local zoning regulations limit the amount of such industrial waste that may be emitted along the border of each neighborhood (i.e., the squares defined by the dots on the map). The numbers within each square-shaped cell defined by the corner of four nearby dots define the precise number number of each neighborhood's border segments to be included in such a dissipation loop.

Note that multiple tachyonic radiation dissipation loops interact with each other in irregular ways; therefore, it is prohibited to have multiple loops. There can be only a single dissipation loop.

